


**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>H04M 1/02, G06F 3/033</b>		<b>A1</b>	(11) International Publication Number: <b>WO 99/55060</b>
			(43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/SE99/00616			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 19 April 1999 (19.04.99)			
(30) Priority Data: 9801379-0 21 April 1998 (21.04.98) SE			
(71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON [SE/SE]; S-126 25 Stockholm (SE).			
(72) Inventor: BJÖRKENGREN, Ulf; Näktergalsvägen 26, S-237 34 Bjärred (SE).			
(74) Agents: STRÖM, Tore et al.; Ström & Gulliksson AB, P.O. Box 4188, S-203 13 Malmö (SE).			Published With international search report.
(54) Title: INPUT DEVICE AND METHOD OF ENTERING DATA INTO AN ELECTRONIC APPARATUS			
(57) Abstract			
<p>An input device for an electronic apparatus such as a mobile phone comprising analog input means (11, 12, 13) for scanning through an input space of records and digital input means (5) for selecting a current record presented on a display (6). Said analog input means is a flip (11) pivotably arranged by means of attachment means (12) on a housing (1) of said electronic apparatus, and said attachment means (13) is provided with rotational sensor means (13) connected to processing means incorporated in the housing (1). An angle (<math>\alpha</math>) between said flip and said housing corresponds to a sensor value, translated and interpreted by the processing means, to show a particular record on the display (6).</p>			
			
<b>BEST AVAILABLE COPY</b>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

**TITLE: INPUT DEVICE AND METHOD OF  
ENTERING DATA INTO AN  
ELECTRONIC APPARATUS**

5

**Field of the Invention**

The present invention relates to an input device and a method of entering data into an electronic apparatus and  
10 more particularly to an input device having analog input means for scanning through an input space of records and digital input means for selecting a current record presented on a display.

15 **Description of the Prior Art**

Electronic apparatuses such as mobile telephones, hand-held or desktop computers or portable digital organizers etc. process and store data created in many places and in many different ways. However, before data can  
20 be processed and stored they must be entered and translated into a form interpretable by the particular apparatus. This is performed by or through an input device. After the data have been processed they must be translated back into a form readable by the user, which is performed by an output  
25 device.

Electronic apparatuses as mentioned above are in most cases provided with keyboards or keypads for data entry. Hand-held electronic apparatuses such as mobile phones have limited keyboards, wherein each key has several functions  
30 and, hence, data entry has been synonymous with keystrokes.

Every operation on a mobile phone requires several keystrokes. In order to make a regular phone call on a prior art mobile phone, as disclosed in a manual describing the mobile phone ERICSSON GF788, © Ericsson Mobile  
35 Communications AB, 1996, the area code and phone number are entered on the keypad (keys 0-9) and a YES key is pressed

to start the call and the call is ended by pressing a NO key.

The phone is provided with several functions other than making regular phone calls. Most of these functions are controlled through a menu system. In order to move through the menu system and find the different menus, functions or settings arrow keys are used. The arrow keys are pressed until the desired menu, function or setting is reached and it is selected by pressing the YES key. The operation of moving through the menu system is often called scrolling.

Phone numbers and subscriber names can be stored and recalled from an electronic phone book. A phone number is stored by entering the phone number on the keypad. Then the arrow key(s) is pressed until the Store menu is shown and to confirm the storing the YES key is pressed.

As mentioned above each key has several functions and represents different symbols and letters. For example key 1 corresponds to one space, -, ?, !, ,, ., :, ", ', (, ), 1, and key 2 corresponds to A, B, C, Å, Ä, Æ, à, Ç, 2 and so on for the remaining keys. Further, \* is pressed to get lower-case letters, a key is pressed and held to get the number directly, and a volume key is pressed together with a numeric key to get the second or third position in the list of letters and symbols of each key.

To store a name of a subscriber of the already entered phone number the first letter of the name is entered by pressing the appropriate numeric key as many times as required to obtain the desired letter or symbol, for example three times on key 2 to get a letter C. The next letter of the name is entered when the cursor has moved to the next position and so on until the name is done. The name is confirmed and stored in a selected memory position by pressing the YES key.

Phone numbers can be recalled in many ways. First a phone number can be recalled by name, wherein a RecallName menu is selected and either the full name or the first letter is entered and confirmed by the YES key. The first  
5 name that matches the letter string is displayed. A second way to recall a number is to scroll through the phone book to the desired name. In both cases the selected name and number will blink on the display until the YES key is pressed to call the number.

10 Further, the phone numbers and names in the phone book can be changed through an EditPhBook menu. The EditPhBook menu is selected, whereupon either the full name or the first letter of the desired name is entered and is confirmed by pressing the YES key. The first name that  
15 matches the letter string is displayed. Another way to find the name is to scroll to the wanted name. The name is scrolled to change it letter by letter and the changed name is confirmed and stored by pressing the YES key. Then the phone number is changed in a similar way.

20 A problem with the above mentioned prior art mobile phone ERICSSON GF788 and several other mobile phones having the same or similar functions and menu system is the above described way of moving through the menu system and finding the different menus, functions or settings by using arrow  
25 keys or the like and the way of operating the phone and its functions by using many difficult, awkward and time-consuming keystrokes. In order to activate and use some of the functions such as find different symbols, wherein each key has several functions, the user must probably read the  
30 manual.

#### **Summary of the Invention**

It is therefore an object of the present invention to provide an improved input device for an electronic appa-  
35 ratus and more particularly an input device having analog

input means for scanning or scrolling through an input space of records and digital input means for selecting a current record presented on a display.

This is accomplished by the input device according to claim 1, wherein said analog input means is a flip, pivotably arranged by means of attachment means provided with rotational sensor means on a housing of said electronic apparatus, wherein an angle between said flip and said housing denotes the current record of said input space.

Another object of the invention is to provide an input device which is easy to operate even on a small electronic apparatus such as a mobile telephone. This is obtained by the input device according to the invention having the flip which is relatively large and hence easy to grip and operate.

An advantage of the input device according to the invention is that the scanning or scrolling through the input space and the selecting of records, such as alpha numeric characters and menu options presented on a display are performed in an easy none time-consuming way requiring a small number of keystrokes.

#### **Brief Description of the Drawings**

In order to explain the invention in more detail and the advantages and features of the invention a preferred embodiment will be described in detail below, reference being made to the accompanying drawing, in which

FIG 1 is a schematical front view of a mobile phone provided with an input device according to the invention, and

FIG 2 is a side view of the mobile phone in FIG 1.

### Detailed Description of the Invention

With reference to FIGs 1 and 2, a mobile phone is shown, having a housing 1, an antenna 2, a status light 3, an earpiece 4, volume keys 5, a display 6, a keypad 7, an inside microphone 8 and microphone channel 9, a battery 10, a flip 11, pivotably arranged on said housing 1 by means of attachment means 12. Further, processing means such as a CPU, control circuits and memory means are provided inside the housing 1 and connected to the different components and means described above.

According to the invention, the mobile phone is provided with an input device comprising analog input means for scanning through an input space of records and digital input means for selecting a current record presented on a display except the conventional keypad input means. The analog input means is in form of the flip 11, pivotably arranged by means of the attachment means 12, such as a hinge, provided with rotational sensor means 13, integrated in the attachment means 12, on the housing 1 of the phone. An angle  $\alpha$  between the flip and the housing denotes the current record of said input space.

In the following description, numerous specific details, such as key names, function names etc. are provided in detail in order to give a more thorough description of the present invention. It will be obvious for those skilled in the art that the present invention may be practiced without these specific details. Some well-known features are not described in detail so as not to make the present invention unclear.

In order to make a regular phone call on the mobile phone in the drawings the area code and phone number are entered on the 0-9 keys on the keypad 7 and a YES key or another action key is pressed to start the call and the call is ended by pressing a NO key in a similar way as on a conventional mobile phone.

The mobile phone having an input device according to the invention is provided with several functions other than making regular phone calls. Most of these functions are controlled through a menu system. In order to move through the menu system and find the different menus, functions or settings the input device according to the invention is used. The input device is activated and deactivated by pressing an action key such as one of the volume keys 5 or by selecting a particular menu in the menu system.

10 If the flip 11 is moved, i.e. opened or closed, illustrated by a double directed arrow 14 in FIG 2, the rotational sensor means 13 detects the position or angle  $\alpha$  of the flip and generates a sensor signal having a value corresponding to the current angle  $\alpha$ . The angle  $\alpha$  is translated and interpreted by the processing means and a particular record, i.e. a menu, function or setting, is shown on the display 6. The flip 11 is moved until the desired menu, function or setting is reached and it is selected by pressing the digital input means or an action key, preferably a side mounted key such as one of the volume keys 5. The operation of moving through the menu system is often called scrolling.

Phone numbers and subscriber names can be stored and recalled from an electronic phone book. A phone number is stored by entering the phone number on the keypad. Then the flip 11 is opened or closed until the Store menu is shown, and to confirm the storing the YES key is pressed. However, it is also possible to scroll through an input space including all necessary alpha numeric characters such as digits, alphabet letters and punctuation marks by moving the flip and selecting each digit by pressing the action key.

In order to store a name of a subscriber of the already entered phone number the first letter of the name is entered by scrolling the input space and then the



desired character is selected by pressing the action key. The next letter of the name is entered when the cursor has moved to the next position and so on until the complete name is entered. The name is confirmed and stored in a  
5 selected memory position by pressing the YES key. Of course the memory position can be selected by moving the flip 11 as described.

Phone numbers can be recalled in many ways. First a phone number can be recalled by scrolling the menu system  
10 and selecting a RecallName menu and then either the full name or the first letter is entered as described above and confirmed by the YES key. The first name that matches the letter string is displayed. A second way to recall a number is to scroll through the phone book, by moving the flip, to  
15 the desired name. In both cases the selected name and number will blink on the display until the YES key is pressed to call the number.

Further, the phone numbers and names in the phone book can be changed through an EditPhBook menu. The  
20 EditPhBook menu is selected, whereupon either the full name or the first letter of the desired name is entered by means of flip motion and is confirmed by pressing the action key. The first name that matches the letter string is displayed. Another way to find the name is to scroll to the wanted  
25 name. The name is scrolled to change it letter by letter and the changed name is confirmed and stored by pressing the YES key. Then the phone number is changed in a similar way. All the scrolling and letter finding is performed by moving the flip to a position, in which the flip has an  
30 appropriate angle corresponding to a desired letter position or letter in the alphabet.

Although the invention has been described by way of a specific embodiment thereof it should be apparent that the present invention provides a mobile telephone that fully  
35 satisfies the aims and advantages set forth above, and

alternatives, modifications and variations are apparent to those skilled in the art.

It is also possible to combine the flip scrolling function with a keystroke. For example, if an action key,  
5 such as #, is pressed the different menus in the menu system are shown in another language.

Other electronic apparatuses such as hand-held computers or portable digital organizers etc. can be provided with an input device according to the invention,  
10 not necessarily a flip but similar means.

## CLAIMS

1. An input device for an electronic apparatus such as a mobile phone, comprising analog input means (11,12,13) for scanning through an input space of records and digital input means (5) for selecting a current record presented on a display (6), c h a r a c t e r i z e d in that said analog input means is a flip (11) pivotably arranged by means of attachment means (12) on a housing (1) of said electronic apparatus, and said attachment means (12) is provided with rotational sensor means (13) connected to processing means incorporated in the housing (1), wherein an angle ( $\alpha$ ) between said flip and said housing (1) corresponds to a sensor value, translated and interpreted by the processing means, to show a particular record on the display (6).

2. An input device according to claim 1, c h a r a c t e r i z e d in that said input space is a set of menus, functions or settings.

3. An input device according to claim 1 or 2, c h a r a c t e r i z e d in that said input space is a set of alpha numeric characters.

4. A method of entering data into an electronic apparatus such as a mobile phone by means of an input device according to any of the preceding claims, c h a r a c t e r i z e d by the steps of moving said flip (11) to a position forming an angle ( $\alpha$ ) between said flip (11) and said housing (1), detecting said angle ( $\alpha$ ), generating a sensor signal corresponding to said angle ( $\alpha$ ), translating and interpreting the sensor signal in said processing means into a processed signal, and showing a record corresponding to said signal on the display (6).

5. A method according to claim 4,  
c h a r a c t e r i z e d by the further step of selecting  
said record by pressing an action key (5).

5           6. A method according to claim 4 or 5,  
c h a r a c t e r i z e d by the further step of acti-  
vating and deactivating said input device by pressing  
another action key (5).

10           7. A method according to claim 4 or 5,  
c h a r a c t e r i z e d by the further step of acti-  
vating and deactivating said input device by selecting a  
particular menu.

1/1




FIG. 1




FIG. 2

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/00616

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04M 1/02, G06F 3/033

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04B, H04M, H04Q

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPI

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0715441 A1 (AT&T CORP.), 5 June 1996 (05.06.96), column 2, line 54 - column 5, line 52, figures 1-3 --	1-7
Y	US 5465401 A (E. EARLE THOMPSON), 7 November 1995 (07.11.95), column 8, line 1 - column 9, line 12, figures 1-10, claims 1-2 --	1-7
A	US 5608793 A (SUSUMU URIYA), 4 March 1997 (04.03.97), figures 1A-9, abstract --	1-7
Y	EP 0588210 A1 (HITACHI, LTD.), 23 March 1994 (23.03.94), column 3, line 49 - column 12, line 12, figures 1-9 --	3

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;" document member of the same patent family

Date of the actual completion of the international search

20 July 1999

Date of mailing of the international search report

09-08-1999

Name and mailing address of the ISA/  
Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM  
Facsimile No. +46 8 666 02 86

Authorized officer

Roland Landström/mj  
Telephone No. +46 8 782 25 00

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

01/07/99

International application No.  
**PCT/SE 99/00616**

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
EP	0715441	A1	05/06/96	CA	2159138 A	29/05/96
				CN	1131892 A	25/09/96
				JP	8237338 A	13/09/96
-----						
US	5465401	A	07/11/95	JP	6318903 A	15/11/94
-----						
US	5608793	A	04/03/97	EP	0689332 A	27/12/95
				JP	2550914 B	06/11/96
				JP	8009005 A	12/01/96
-----						
EP	0588210	A1	23/03/94	JP	6090200 A	29/03/94
				US	5436954 A	25/07/95
				US	5742912 A	21/04/98
-----						